Chief Secretary's Office, Adelaide, October 28th, 1890.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. C. Bray, Chief Secretary.

Return of Births and Deaths registered in South Australia in the Month of September, 1885-1890.

Years	1385.	1886.	1887.	1888.	1889.	Average of Five				Hall	1	890.						Total for
*Population, Sept. 1	309,584	305,793	309,820	310,454	316,134	Years.	320,803								1890.			
Births	1,068	953	893	832	878	925									7,964			
Rate per cent	•345	*311	•289	.267	.278	_					•2	93						
Deaths—							All Ages.	Under l year.	l and under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest	Uncerti- fied gauses of Death.	
All causes	257	258	253	264	247	256	287	71	30	23	45	49	54	15	_	24	18	3,003
Rate per cent	.083	.084	.082	.085	.078	_	-089	_		_	_	_	_	_	_	-	-	
Diseases—  1. Specific Febrile or Zymotic 11. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified	20 	25 1 40 32 128 20	18 1 1 58 33 121 8	27 2 1 44 37 125 13	14 2 3 53 29 114 17		28 - 1 57 33 138 16	14 - 3 12 34 2	8 - 6 - 10 4	3 - 5 - 12 3	$\frac{3}{1}$ $\frac{1}{19}$ $\frac{1}{16}$ $\frac{3}{3}$	18  27 3		9 6				
not specified	21	12	13	15	15	_	14	6	2		3	1	2				_	

causes ..... 21 | 12 | 13 | 15 | 15 | — | 14 | 6 | 2 | — | 3 | 1 | 2 | — | — | — |

\* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), which at last census was 4,521, and also the aborigines, which at last census was 6,346.

Causes of Deaths registered in the Month of September, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I,			Other constitutional diseases	2	4	Accidents of childbirth	_	1
Measles	-	_	V.	10		Diseases of locomotive sys-		, ,
Scarlet fever	_		Premature birth,	10	_	tem	-	1
Relapsing fever	-		Cyanosis	-0	-	Diseases of integumentary		
Influenza	11	_	Congenital defects	2	0.1	systemVII.	-	
Whooping-cough		4 7	Old age	-	21			
Diphtheria	_		VI.		0	(Accident.)		0
Simple and ill-defined fever	_	3	Apoplexy		8	Fracture and continuon	_	6
Enteric fever			Epilepsy		3	Gunshot wound		1
Simple cholera	3		Convulsions	6	1	Cut, stab	-	-
Diarrhœa, dysentery		_	Other diseases of brain and		10	Burn and scald	_	1
Remittent fever	-	_	nervous system	2	10	Poison	_	_
Venereal affections	_	_	Diseases of organs of special			Drowning	-	2
Erysipelas	_		sense	_	1	Suffocation	2	1
Pyæmia and septicæmia	_	- '	Diseases of circulatory sys-		24	Otherwise	_	_
Puerperal fever	-	_	tem	1	24	(Homicide.)		
Other zymotic diseases	-		Croup	-	3	Murder and manslaughter		1
II.			Bronchitis	11	10	(Suicide.)		
Thrush	_	_	Pneumonia	9	9	Gunshot wound		2
Worms and other parasitical			Pleurisy	-	1	Cut, stab	-	
diseases	-		Other diseases of respiratory			Poison	-	-
III.			system	_	1	Drowning	_	
Privation—want of breast milk	_		Dentition	-	13.00 ng	Hanging	-	_
Alcoholism	_	1	Quinsy, sore throat	-		Otherwise	-	
IV.			Enteritis	-	1	VIII.		
Rheumatic fever and rheuma-			Peritonitis	-	3	Dropsy		1
tism of heart	-	1	Diseases of liver	1	7	Debility, atrophy, inanition	6	3
Rheumatism	-	1	Other diseases of digestive			Mortification		
Gout	-	_	system	3	9	Tumor	-	
Cancer, malignant disease	-	12	Diseases of lymphatic sys-			Abscess	-	
Tabes mesenterica	-	1	tems and of ductless glands	-	_	Hæmorrhage		
Tubercular meningitis	_	5	Diseases of urinary system	1	10	Sudden, cause unascertained		
Phthisis	_	26	Diseases of generative sys-	15.		Other ill-defined and not		
Scrofula tuberculosis	1	4	tem		1	specified causes		4

Return of Births and Deaths registered in City of Adelaide in the Month of September, 1885-90.

Years	1885.	1886.	1887.	1888.	1889.	Average of Five					13	890.						Tota for
Population, Jan. 1st	43,969	45,333	42,904	43,527	43,750	Years.	44,581									1890		
Births	114	111	101	82	80	98	117									866		
Rate per cent	•259	•245	•235	·188	•183	_	•262											
Deaths				1			All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	Inquest cases.	Uncerti- fied causes of death.	
All causes	39	52	54	59	61	53	54	10	4	3	12	10	14	1		3	2	693
Rate per cent	.089	115	•126	136	•139	_	•123					_					_	
Diseases—  1. Specific Febrile or Zymotie .  11. Parasitic  11. Dietic  12. Constitutional .  2. Developmental  21. Local  21. Violence  211. Ill-defined and not specified causes	3 1 11 4 15 1	7  6 2 31 3	3 1 	8 2 1 14 6 22 3	$\frac{4}{3}$ 14 6 26 3		6 1 12 8 22 1	3 - - 2 4 -	2 1 1	1 		4 6		1				

Causes of Deaths registered in the Month of September, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One	and
	rear.	Above.		rear.	Above.		Year.	Above.
I.								
Measles		- i	Scrofula tuberculosis		2	Accidents of childbirth		
Scarlet fever			Other constitutional diseases			Diseases of locomotive system		_
Relapsing fever	-					Diseases of integumentary		
Influenza	-	-	V.			system	_	_
Whooping-cough	3		Premature birth	1	_			
Diphtheria	-	3	Cyanosis	-	-	_ VII. (Accident.)		
Simple and ill-defined fever	-		Congenital defects	1	_	Fracture and contusion		1
Enteric fever	_		Old age	_	6	Gunshot wound	-	-
Simple cholera	-		77.7			Cut, stab	-	-
Diarrhœa, dysentery Remittent fever	-		VI.			Burn and scald	-	
Venereal affections	_	_	Apoplexy	-	CINED TO	Poison	-	-
Erysipelas		_	Epilepsy	1		Drowning		
Pyæmia and septicæmia	_		Other diseases of brain and	1		Suffocation	-	_
Puerperal fever			nervous system	1	3	Otherwise	-	-
Other zymotic diseases			Diseases of organs of special	1	0	(Homicide.)		
			sense		1	Murder and manslaughter	-	-
II.			Diseases of circulatory system		4	(Suicide.)		
Thrush			Croup			Gunshot wound		
Worms and other parasitical			Bronchitis	2		Cut, stab	_	
diseases	-	10 mm -	Pneumonia	-	. 2	Poison		_
			Pleurisy		1	Drowning	_	
111.			Other diseases of respiratory			Hanging		
Privation—want of breast milk	-		system	-	_	Otherwise		_
Alcoholism	-	1	Dentition	-	_			
737			Quinsy, sore throat	-	vanta <del></del>	VIII.		
IV.			Enteritis			Dropsy	_	1
Rheumatic fever and rheuma-			Peritonitis	-	1	Debility, atrophy, inanition	1	2
tism of heart	-	- 1	Diseases of liver	-	1	Mortification		-
Rheumatism	-	-	Other diseases of digestive	(SELENI)	Teals()	Tumor	_	-
Gout		- 0	system	-	2	Abscess		-
Tabes mesenterica	_	3	Diseases of lymphatic sys-		sussiti i	Hæmorrhage		-
Tubercular meningitis	_	1	tems and of ductless glands		adama - I di	Sudden, cause unascertained		-
Phthisis	_	-	Diseases of urinary system	11 700 8	3	Other ill-defined and not		
THUMBER	_	6	Diseases of generative system	-	-	specified causes	_	-

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of September, 1890.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	44,581	8,096	8,718	9,177	9,320	4,018	5,252
Persons to an acre	12.3	14.1	13.2	16.6	13.0	8.4	8.1
Births Male Female	117 55 62	25 16 9	13 6 7	30 12 18	28 11 17	9 3 6	12 7 5
Deaths Male Female	51 30 21	7 6 1	11 6 5	12 5 7	6 4 2	7 5 2	8 4 4
CLASSES.  I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	6 -1 11 8 20 1 4	 4 3 	3 - 4 1 3	2 1 1 2 6 —	2  1 2 -1	3 2 2	2
Percentage of Deaths to population of each Ward	•114	.086	-126	•131	.064	•174	•152

Causes of Deaths registered in the Month of September, 1890.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis		6	Accidents of childbirth		
Measles	_	_	Scrofula tuberculosis	_	1	Diseases of locomotive system	_	
Scarlet fever	_		Other constitutional diseases.			Diseases of integumentary		
Relapsing fever		-	Other constitutional discussion			system		_
Influenza	_	_	V.				100	1
Whooping-cough	3		Premature birth	1				
Diphtheria	_	3	Cyanosis	_		VII.		
Simple and ill-defined fever	_	_	Congenital defects	1		(Accident.)	-	
		99 1	Old age	_	6	Fracture and contusion		1
Enteric fever			014 480			Gunshot wound		1
Simple cholera	_		VI.			Cut, stab		
Diarrhœa, dysentery	_		Apoplexy			Burn and scald		
Remittent fever			Epilepsy		-	Poison	-	
Venereal affections	-		Convulsions	1		Drowning	_	
Erysipelas	-		Other diseases of brain and	1		Suffocation		
Pyæmia and septicæmia	-		nervous system	1	3	Otherwise		
Puerperal fever	-		Diseases of organs of special	1	0	(Homicide.)		1
Other zymotic diseases	-				_	Murder and manslaughter		
TT	-		Discosos of circulatory system	_	4	(Suicide.)		
II.			Diseases of circulatory system	_	T	Gunshot wound		
Thrush	_	_	Croup	2		Cut, stab		
Worms and other parasitical			Bronchitis	4	1	Poison	_	
diseases	-	_	Pneumonia	-	1	Poison	_	
TTT			Pleurisy	_	1	Drowning		
III.	-		Other diseases of respiratory			Hanging	-	
Privation — Want of breast	i		system	_		Otherwise	-	
milk	_	-	Dentition			VIII.		
Alcoholism	-	1	Quinsy, sore throat		_			1
***			Enteritis			Dropsy	1	1
IV.			Peritonitis	-	1	Debility, atrophy, inanition	1	2
Rheumatic fever and rheu-			Diseases of liver	_	1	Mortification		_
matism of heart	-	-	Other diseases of digestive			Tumor		
Rheumatism	-	-	system	_	2	Abscess		
Gout	-	_	Diseases of lymphatic systems			Hæmorrhage		
Cancer, malignant disease	-	3	and of ductless glands	-	_	Sudden, cause unascertained.	100-101	-
Tabes mesenterica	-	1	Diseases of urinary system	-	3	Other ill-defined and not spe-		
Tubercular meningitis	-	-	Diseases of generative system		_	cified causes	-	

## SEPTEMBER, 1890.

The highest temperature in the shade at the Adelaide Observatory during the month was 83°4 on the 26th; and the lowest, 41°4, on

The highest temperature in the shade at the Adelaide Observatory during the month was 83°4 on the 26th; and the lowest, 41°4, on the 8th. The mean temperature of the month was 58°4.

The greatest range of the thermometer in one day, 29°8, took place on the 26th, viz., from a maximum of 83°4 to a minimum of 53°6; the lowest range, 10°0, on the 14th.

The mean height of the barometer was 29.870 inches; the maximum, 30.207 inches, occurred on the 1st; and the minimum, 29.210 inches, on the 26th.

Observatory, Adelaide, October 10th, 1890.

C. Todd, Observer.

Births and Deaths registered in the under-mentioned corporate towns in the Quarter ended September 30th, 1890.

			tered du Quarter.		The Deaths registered in the Quarter include Deaths from—											
Corporate Towns.	Estimated Population		Deaths.				3	1			Diseases of		Diseases			
	July 1st, 1890.	Births.	Total.	Under One Year.	Measles.	Scarlet Fever.	Diph- theria	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Respira-	Phthisis.	Circula- tory System.			
Adelaide Hindmarsh Thebarton Port Adelaide Semaphore Glenelg Brighton Unley St. Peters Norwood and Kensington Gawler Kapunda Burra Clare Jamestown Port Augusta Port Pirie Kadina Moonta	44,709 7,895 2,831 5,856 6,060 3,167 895 9,726 4,437 11,726 2,106 2,661 3,077 1,315 1,156 1,531 2,342 1,766 1,647	315 79 31 46 81 24 3 101 42 97 14 20 29 4 12 19 12 17	201 28 11 18 20 17 2 42 20 25 8 15 19 3 7 6 12 2 5	27 5 1 3 8 1 - 9 8 7 2 2 4 1 - 2 4 1 2			6 -2 1 2 - - 1 - - 3 - - 1 - - 1	12 3 2 - 2 - 3 1 1 2 - -	2	3	18 — 2 3 5 — 10 3 4 1 4 2 2 2 3 4 — 1	22 3 2 2 2 4 - 1 2 4 1 1 3 - 1	15 5 1 3 2 2 2 2 2 2 2 2 1 —————————————————			
Wallaroo	2,173 798 896 2,790	18 3 7 26	10 3 5 17	3 - 2	=	5,000	- 3	=			1 2 1		- - 1			

GEO. H. AYLIFFE, Registrar-General.